




THE INSTANTANEOUS EVACUATION TUBE

THE INSTANTANEOUS EVACUATION TUBE is permanently installed to the tower or building no matter which one its installed to starting at the top and goes down along the tower or building going around to the ground floor, in a specific angle as illustrated on the plan which shows you the installation exact angle.

When a fire is declared, any person working in the building can active a hand lever and on the spur of the moment some compressed air goes out from a tank to a pipe installed all the way down the evacuation tube which has access to each and every floor of the tower or building and the same pipe goes down directly to an inflatable mattress which is installed permanently. Since the compressed air pipe goes down directly to the mattress, it propels the mattress out of the tube pushing the hatch closing the entry of the tube on the ground floor. The mattress being installed at the entry of the tube forms like an inflatable bed.



→ The instantaneous evacuation tube

→ Exact angle of the tube

→ Compressed air pipe

The angle shown on the plan permits people whenever an evacuation takes place, to slide at a normal speed to avoid injuries as they go down. Each floor has an emergency exit and a hand lever related directly to the compressed air tank. The evacuated people slide down and get to the extremity of the tube being pushed directly on the inflammable bed.

Reference to a "Sequence Listing", a table, or a computer program listing appendix submitted on a compact disc and an .

Txt is submitted in the form of a compact disk inside the envelope .

Background of the Invention

The background of the invention cannot be revealed because the invention is completely new.

Brief summary of the invention

The instantaneous evacuation tube is a very clever invention because it is only about slip by passing around of outside a tower or a building. There is much advantages, there is the speed of evacuation because the tube can have an urgently exit door on all the floors then the evacuation is done very quickly at the time of the fire. There is also ingeniousness because the tube pass around of outside the tower or the building (example) if the tower has 100 stages and that the fires is taken on the 80^{2nd} stage and that the fire progresses very quickly (let us specify that the fire goes always up to higher stages) then how to do to evacuate the peoples in the higher floors of the fire by helicopter, by elevator, no none of these ways is suitable. The best way with security at the time of the fire is the instantaneous evacuation tube because it is installed outside permanently what reckon on any eventuality during the evacuation while slipping you pass around the fire so this ways is the best and fast manner to evacuate people with security. Another advantage it is that the first-aid workers have the advantage of awaiting you at the ground floor because in bottom there is an inflatable bed of compressed-air. The big advantage is that the first-aid workers can wait you at the ground floor instead of rising up and to try to get you and finally risking their life to save another one.

THE 3 STEPS TO EVACUATION

Fig 1a: Hand lever attached to the tank.

This lever automatically activates the exit of the air in the tank to send it automatically in the inflatable bed instantaneously



Fig 1b: Pipe attached to the tank. This stem of metal is used to activate and open the valve so that the air is compressed and the air escapes from tank

Fig 1a

Fig 1b

Fig 1c: Compressed air tank.

This tank is an air compressor to compress. When the compressor is activated, it compresses the air and it sends it in the inflatable bed

Fig 1e: Inflatable bed. This bed is an inflatable bed which is used to await the people evacuated at the time of the fire. The people are evacuated using the instantaneous evacuation tube. When they arrive in bottom, they are propelled directly in the inflatable bed comfortably

Fig 1d: Pipe attached to the tank and going down to the inflatable bed.

This pipe is used to transfer the air compressed in the tank to the bed of inflatable

FIRST STEP

To proceed to evacuation, the hand lever must be activated as shown on the plan. It is important to activate the hand lever. This is what permits the pipe to open the compressed air valve of the tank so as the compressed air goes out of the tank as shown on the plan that goes down along the tube and sends it automatically to the inflatable bed which is permanently installed inside the tube on the ground floor and finally pushes the hatch which inflated the bed and the inflatable bed gets pushed out while being attached to the tube at all times.

SECOND STEP

A person opens the emergency exit on his floor, jumps into the tube and right on the spot, that same person is evacuated. NOTE: it is very important that there should be a delay between the persons evacuated in order to prevent bodily injuries. Minutes following evacuation they will arrive on the inflatable bed. The person is automatically stopped has arriving the inflatable bed.

Fig 2a: Person evacuated

This person is a person evacuated using the instantaneous evacuation tube, when it arrives at the bottom ; it is propelled directly in the inflatable bed

Fig 2b: This person is an evacuated person who arrives in the inflatable bed




Fig 2e

Fig 2e: Evacuation The evacuation tube is used to proceed by the evacuation

Fig 2c: Firemen helping evacuated persons

This person is a fireman to help the evacuated people and to take them shelter from any danger.

Fig 2d: Inflatable bed This bed is inflatable bed to absorb the impact shock of the evacuated people of coming people comfortably.




Fig 2f

Fig 2f: Firemen's truck arrive to help people

The first-aid workers arrive on the place of the fire to carry out the evacuation in security.

THIRD STEP

Third step consists on firemen, as soon as arrived at the scene of a fire to help evacuated persons, give them first aid treatments if needed and help them to get out of the inflatable bed as soon as possible to give other persons evacuated a chance to arrive onto the inflatable bed and not cause any injury.

Detailed description of the invention

The achievements of the invention on the subject of which an exclusive right of property or privilege is described as it follows. The tube of instantaneous evacuation is installed permanently outside any of a tower or building. The tube is installed starting from the top going down along the tower by passing around it to the ground floor making a specific angle so that the disaster victims can be evacuated at a normal speed to the ground floors. Trap doors with air are installed after the tube at each emergency exit to enable the air entering and to foresee smoke inside the tube if it is necessary. Each stage the tube has a trap door with air. The tube must be manufactured by a large rigid plastic to resist the bad weather (Example: the tube can be manufactured of a glass-wool which resists a very hot temperature and it does not burn). The tube must be also transparent to prevent the decreasing of vision fields of the people working inside the tower and in this manner we can see any evacuated person, thus, this solution envisages if there is a danger inside the tube or not. The mode of installation remains with the discretion of the engineer because the tube can be installed in a different way which is confirmed with the owner of the tower (Example: the tube can be embedded in the tower based on the construction of this one or can demand the modification of the tower to be able to make the embedding of the tube). The tube can also be installed using a gigantic crane in different section and so to fix it using a collar which should be screwed in the concrete of the tower but all that is confirmed with the owner of the tower in the manner of installation that he want. For the best way of the installation of tube is that, it should be always outside. The tube has detectors of movement, which are installed after the tube at each stage extremity whenever there are one or more people inside the tube who are evacuated; the detector of movement sends the signal with the assistance of a magic eye. Two small lights are installed just at the top of each door of emergency exit for each stage. There are two small lights red and green, the red light indicates that you will not be able to be evacuated immediately because one or more person are currently passing in front of you, from one moment to another you must wait until the light pass to green, at this time you can be evacuate without any risk to make a collision with the other person. All that happen very quickly when there is a fire, a person actuates the lever and at this time the compressed air escapes from a tank and of a fraction of second sends the air in a pipe

which is installed all along the tube automatically reaches all stages, a lever and tank are accessible on all stages. The pipe goes down in parallel along the tube while passing around the tower to the ground floor and this is connected directly to the inflatable bed. The inflatable bed is installed inside the tube permanently; the air that enters to the bed causes a compression what results that the bed is propelled outside the tube so pulverizing the cap closes the input of the tube. The bed is also attached to the end of the tube thus forming an inflatable bed. At the time of the descent each stage has a door of emergency exit and a lever connected directly to the tank. At the time of descent, the evacuated people slip and arrive at the end of the tube are propelled directly in the inflatable bed of compressed-air. The bed is located completely in the bottom at the end of the tube which had been actuated with the assistance of the lever thus causing an inflatable bed of compressed-air.